

Appendix

# C


---

## **STATISTICAL TABLES**

## Normal Distribution

Table C-1. Cumulative Probabilities of the Standard Normal Distribution.

Entry is area  $A$  under the standard normal curve from  $-\infty$  to  $z(A)$




$z$	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

## Chi-Square Distribution

Table C-2. Percentiles of the  $\chi^2$  Distribution

Entry is  $\chi^2(A; \nu)$  where  $P\{\chi^2(\nu) \leq \chi^2(A; \nu)\} = A$



$\nu$	$A$									
	.005	.010	.025	.050	.100	.900	.950	.975	.990	.995
1	0.004393	0.0157	0.02982	0.07393	0.158	2.71	3.84	5.02	6.63	7.88
2	0.0100	0.0201	0.0506	0.103	0.211	4.61	5.99	7.38	9.21	10.60
3	0.072	0.115	0.216	0.352	0.584	6.25	7.81	9.35	11.34	12.84
4	0.207	0.297	0.484	0.711	1.064	7.78	9.49	11.14	13.28	14.86
5	0.412	0.554	0.831	1.145	1.61	9.24	11.07	12.83	15.09	16.75
6	0.676	0.872	1.24	1.64	2.20	10.64	12.59	14.45	16.81	18.55
7	0.989	1.24	1.69	2.17	2.83	12.02	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	3.49	13.36	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	4.17	14.68	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	4.87	15.99	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	5.58	17.28	19.68	21.92	24.73	26.76
12	3.07	3.57	4.40	5.23	6.30	18.55	21.03	23.34	26.22	28.30
13	3.57	4.11	5.01	5.89	7.04	19.81	22.36	24.74	27.69	29.82
14	4.07	4.66	5.63	6.57	7.79	21.06	23.68	26.12	29.14	31.32
15	4.60	5.23	6.26	7.26	8.55	22.31	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	9.31	23.54	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	10.09	24.77	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	10.86	25.99	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	11.65	27.20	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	12.44	28.41	31.41	34.17	37.57	40.00
21	8.03	8.90	10.28	11.59	13.24	29.62	32.67	35.48	38.93	41.40
22	8.64	9.54	10.98	12.34	14.04	30.81	33.92	36.78	40.29	42.80
23	9.26	10.20	11.69	13.09	14.85	32.01	35.17	38.08	41.64	44.18
24	9.89	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98	45.56
25	10.52	11.52	13.12	14.61	16.47	34.38	37.65	40.65	44.31	46.93
26	11.16	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64	48.29
27	11.81	12.88	14.57	16.15	18.11	36.74	40.11	43.19	46.96	49.64
28	12.46	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28	50.99
29	13.12	14.26	16.05	17.71	19.77	39.09	42.56	45.72	49.59	52.34
30	13.79	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89	53.67
40	20.71	22.16	24.43	26.51	29.05	51.81	55.76	59.34	63.69	66.77
50	27.99	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15	79.49
60	35.53	37.48	40.48	43.19	46.46	74.40	79.08	83.30	88.38	91.95
70	43.28	45.44	48.76	51.74	55.33	85.53	90.53	95.02	100.4	104.2
80	51.17	53.54	57.15	60.39	64.28	96.58	101.9	106.6	112.3	116.3
90	59.20	61.75	65.65	69.13	73.29	107.6	113.1	118.1	124.1	128.3
100	67.33	70.06	74.22	77.93	82.36	118.5	124.3	129.6	135.8	140.2

## Binomial Distribution

Table C-3. Binomial Distribution

$$B(x; n, p) = \sum_{0 \leq y \leq x} b(y; n, p)$$

The values of  $B(x; n, p)$  for  $0.5 < p < 1.0$  are obtained by using the formula

$$B(x; n, 1 - p) = 1 - B(n - 1 - x; n, p)$$

<i>n</i>	<i>x</i>	<i>p</i>									
		0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50
5	0	0.774	0.590	0.444	0.328	0.237	0.168	0.116	0.078	0.050	0.031
	1	0.977	0.919	0.835	0.737	0.633	0.528	0.428	0.337	0.256	0.188
	2	0.999	0.991	0.973	0.942	0.896	0.837	0.765	0.683	0.593	0.500
	3	1.000	1.000	0.998	0.993	0.984	0.969	0.946	0.913	0.869	0.813
	4	1.000	1.000	1.000	1.000	0.999	0.998	0.995	0.990	0.982	0.969
	5	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
10	0	0.599	0.349	0.197	0.107	0.056	0.028	0.013	0.006	0.003	0.001
	1	0.914	0.736	0.544	0.376	0.244	0.149	0.086	0.046	0.023	0.011
	2	0.988	0.930	0.820	0.678	0.526	0.383	0.262	0.167	0.100	0.055
	3	0.999	0.987	0.950	0.879	0.776	0.650	0.514	0.382	0.266	0.172
	4	1.000	0.998	0.990	0.967	0.922	0.850	0.751	0.633	0.504	0.377
	5	1.000	1.000	0.999	0.994	0.980	0.953	0.905	0.834	0.738	0.623
	6	1.000	1.000	1.000	0.999	0.996	0.989	0.974	0.945	0.898	0.828
	7	1.000	1.000	1.000	1.000	1.000	0.998	0.995	0.988	0.973	0.945
	8	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.998	0.995	0.989
	9	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999
	10	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
15	0	0.463	0.206	0.087	0.035	0.013	0.005	0.002	0.000	0.000	0.000
	1	0.829	0.549	0.319	0.167	0.080	0.035	0.014	0.005	0.002	0.000
	2	0.964	0.816	0.604	0.398	0.236	0.127	0.062	0.027	0.011	0.004
	3	0.995	0.944	0.823	0.648	0.461	0.297	0.173	0.091	0.042	0.018
	4	0.999	0.987	0.938	0.836	0.686	0.515	0.352	0.217	0.120	0.059
	5	1.000	0.998	0.983	0.939	0.852	0.722	0.564	0.403	0.261	0.151
	6	1.000	1.000	0.996	0.982	0.943	0.869	0.755	0.610	0.452	0.304
	7	1.000	1.000	0.999	0.996	0.983	0.950	0.887	0.787	0.654	0.500
	8	1.000	1.000	1.000	0.999	0.996	0.985	0.958	0.905	0.818	0.696
	9	1.000	1.000	1.000	1.000	0.999	0.996	0.988	0.966	0.923	0.849
	10	1.000	1.000	1.000	1.000	1.000	0.999	0.997	0.991	0.975	0.941
	11	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.994	0.982
	12	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.996
	13	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	14	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	15	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000


Table C-3 (Continued) Binomial Distribution

<i>n</i>	<i>x</i>	<i>p</i>										
		0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	
20	0	0.358	0.122	0.039	0.012	0.003	0.001	0.000	0.000	0.000	0.000	0.000
	1	0.736	0.392	0.176	0.069	0.024	0.008	0.002	0.001	0.000	0.000	0.000
	2	0.925	0.677	0.405	0.206	0.091	0.035	0.012	0.004	0.001	0.000	0.000
	3	0.984	0.867	0.648	0.411	0.225	0.107	0.044	0.016	0.005	0.001	0.001
	4	0.997	0.957	0.830	0.630	0.415	0.238	0.118	0.051	0.019	0.006	0.006
	5	1.000	0.989	0.933	0.804	0.617	0.416	0.245	0.126	0.055	0.021	0.021
	6	1.000	0.998	0.978	0.913	0.786	0.608	0.417	0.250	0.130	0.058	0.058
	7	1.000	1.000	0.994	0.968	0.898	0.772	0.601	0.416	0.252	0.132	0.132
	8	1.000	1.000	0.999	0.990	0.959	0.887	0.762	0.596	0.414	0.252	0.252
	9	1.000	1.000	1.000	0.997	0.986	0.952	0.878	0.755	0.591	0.412	0.412
	10	1.000	1.000	1.000	0.999	0.996	0.983	0.947	0.872	0.751	0.588	0.588
	11	1.000	1.000	1.000	1.000	0.999	0.995	0.980	0.943	0.869	0.748	0.748
	12	1.000	1.000	1.000	1.000	1.000	0.999	0.994	0.979	0.942	0.868	0.868
	13	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.994	0.979	0.942	0.942
	14	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.994	0.979	0.979
	15	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.994	0.994
	16	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.999
	17	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	18	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
20	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
25	0	0.277	0.072	0.017	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	1	0.642	0.271	0.093	0.027	0.007	0.002	0.000	0.000	0.000	0.000	0.000
	2	0.873	0.537	0.254	0.098	0.032	0.009	0.002	0.000	0.000	0.000	0.000
	3	0.966	0.764	0.471	0.234	0.096	0.033	0.010	0.002	0.000	0.000	0.000
	4	0.993	0.902	0.682	0.421	0.214	0.090	0.032	0.009	0.002	0.000	0.000
	5	0.999	0.967	0.838	0.617	0.378	0.193	0.083	0.029	0.009	0.002	0.002
	6	1.000	0.991	0.930	0.780	0.561	0.341	0.173	0.074	0.026	0.007	0.007
	7	1.000	0.998	0.975	0.891	0.727	0.512	0.306	0.154	0.064	0.022	0.022
	8	1.000	1.000	0.992	0.953	0.851	0.677	0.467	0.274	0.134	0.054	0.054
	9	1.000	1.000	0.998	0.983	0.929	0.811	0.630	0.425	0.242	0.115	0.115
	10	1.000	1.000	1.000	0.994	0.970	0.902	0.771	0.586	0.384	0.212	0.212
	11	1.000	1.000	1.000	0.998	0.989	0.956	0.875	0.732	0.543	0.345	0.345
	12	1.000	1.000	1.000	1.000	0.997	0.983	0.940	0.846	0.694	0.500	0.500
	13	1.000	1.000	1.000	1.000	0.999	0.994	0.975	0.922	0.817	0.655	0.655
	14	1.000	1.000	1.000	1.000	1.000	0.998	0.991	0.966	0.904	0.788	0.788
	15	1.000	1.000	1.000	1.000	1.000	1.000	0.997	0.987	0.956	0.885	0.885
	16	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.996	0.983	0.946	0.946
	17	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.999	0.994	0.978	0.978
	18	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.993	0.993
	19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.998	0.998
20	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
21	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
22	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
23	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
24	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	
25	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	

## Student's Distribution (*t* Distribution)

Table C-4 Percentiles of the *t* Distribution

Entry is  $t(A; \nu)$  where  $P\{t(\nu) \leq t(A; \nu)\} = A$



$\nu$	A						
	.60	.70	.80	.85	.90	.95	.975
1	0.325	0.727	1.376	1.963	3.078	6.314	12.706
2	0.289	0.617	1.061	1.386	1.886	2.920	4.303
3	0.277	0.584	0.978	1.250	1.638	2.353	3.182
4	0.271	0.569	0.941	1.190	1.533	2.132	2.776
5	0.267	0.559	0.920	1.156	1.476	2.015	2.571
6	0.265	0.553	0.906	1.134	1.440	1.943	2.447
7	0.263	0.549	0.896	1.119	1.415	1.895	2.365
8	0.262	0.546	0.889	1.108	1.397	1.860	2.306
9	0.261	0.543	0.883	1.100	1.383	1.833	2.262
10	0.260	0.542	0.879	1.093	1.372	1.812	2.228
11	0.260	0.540	0.876	1.088	1.363	1.796	2.201
12	0.259	0.539	0.873	1.083	1.356	1.782	2.179
13	0.259	0.537	0.870	1.079	1.350	1.771	2.160
14	0.258	0.537	0.868	1.076	1.345	1.761	2.145
15	0.258	0.536	0.866	1.074	1.341	1.753	2.131
16	0.258	0.535	0.865	1.071	1.337	1.746	2.120
17	0.257	0.534	0.863	1.069	1.333	1.740	2.110
18	0.257	0.534	0.862	1.067	1.330	1.734	2.101
19	0.257	0.533	0.861	1.066	1.328	1.729	2.093
20	0.257	0.533	0.860	1.064	1.325	1.725	2.086
21	0.257	0.532	0.859	1.063	1.323	1.721	2.080
22	0.256	0.532	0.858	1.061	1.321	1.717	2.074
23	0.256	0.532	0.858	1.060	1.319	1.714	2.069
24	0.256	0.531	0.857	1.059	1.318	1.711	2.064
25	0.256	0.531	0.856	1.058	1.316	1.708	2.060
26	0.256	0.531	0.856	1.058	1.315	1.706	2.056
27	0.256	0.531	0.855	1.057	1.314	1.703	2.052
28	0.256	0.530	0.855	1.056	1.313	1.701	2.048
29	0.256	0.530	0.854	1.055	1.311	1.699	2.045
30	0.256	0.530	0.854	1.055	1.310	1.697	2.042
40	0.255	0.529	0.851	1.050	1.303	1.684	2.021
60	0.254	0.527	0.848	1.045	1.296	1.671	2.000
120	0.254	0.526	0.845	1.041	1.289	1.658	1.980
$\infty$	0.253	0.524	0.842	1.036	1.282	1.645	1.960


Table C-4 (Continued) Percentiles of the *t* Distribution

<i>v</i>	<i>A</i>						
	.98	.985	.99	.9925	.995	.9975	.9995
1	15.895	21.205	31.821	42.434	63.657	127.322	636.590
2	4.849	5.643	6.965	8.073	9.925	14.089	31.598
3	3.482	3.896	4.541	5.047	5.841	7.453	12.924
4	2.999	3.298	3.747	4.088	4.604	5.598	8.610
5	2.757	3.003	3.365	3.634	4.032	4.773	6.869
6	2.612	2.829	3.143	3.372	3.707	4.317	5.959
7	2.517	2.715	2.998	3.203	3.499	4.029	5.408
8	2.449	2.634	2.896	3.085	3.355	3.833	5.041
9	2.398	2.574	2.821	2.998	3.250	3.690	4.781
10	2.359	2.527	2.764	2.932	3.169	3.581	4.587
11	2.328	2.491	2.718	2.879	3.106	3.497	4.437
12	2.303	2.461	2.681	2.836	3.055	3.428	4.318
13	2.282	2.436	2.650	2.801	3.012	3.372	4.221
14	2.264	2.415	2.624	2.771	2.977	3.326	4.140
15	2.249	2.397	2.602	2.746	2.947	3.286	4.073
16	2.235	2.382	2.583	2.724	2.921	3.252	4.015
17	2.224	2.368	2.567	2.706	2.898	3.222	3.965
18	2.214	2.356	2.552	2.689	2.878	3.197	3.922
19	2.205	2.346	2.539	2.674	2.861	3.174	3.883
20	2.197	2.336	2.528	2.661	2.845	3.153	3.849
21	2.189	2.328	2.518	2.649	2.831	3.135	3.819
22	2.183	2.320	2.508	2.639	2.819	3.119	3.792
23	2.177	2.313	2.500	2.629	2.807	3.104	3.768
24	2.172	2.307	2.492	2.620	2.797	3.091	3.745
25	2.167	2.301	2.485	2.612	2.787	3.078	3.725
26	2.162	2.296	2.479	2.605	2.779	3.067	3.707
27	2.158	2.291	2.473	2.598	2.771	3.057	3.690
28	2.154	2.286	2.467	2.592	2.763	3.047	3.674
29	2.150	2.282	2.462	2.586	2.756	3.038	3.659
30	2.147	2.278	2.457	2.581	2.750	3.030	3.646
40	2.123	2.250	2.423	2.542	2.704	2.971	3.551
60	2.099	2.223	2.390	2.504	2.660	2.915	3.460
120	2.076	2.196	2.358	2.468	2.617	2.860	3.373
∞	2.054	2.170	2.326	2.432	2.576	2.807	3.291

## **F Distribution**

Table C-5 Percentiles of the *F* Distribution

Entry is  $F(A; \nu_1, \nu_2)$  where  $P\{F(\nu_1, \nu_2) \leq F(A; \nu_1, \nu_2)\} = A$



$$F(A; \nu_1, \nu_2) = \frac{1}{F(1-A; \nu_2, \nu_1)}$$



Table C-5 (Continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
1	.50	1.00	1.50	1.71	1.82	1.89	1.94	1.98	2.00	2.03
	.90	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9
	.95	161	200	216	225	230	234	237	239	241
	.975	648	800	864	900	922	937	948	957	963
	.99	4,052	5,000	5,403	5,625	5,764	5,859	5,928	5,981	6,022
	.995	16,211	20,000	21,615	22,500	23,056	23,437	23,715	23,925	24,091
.999	405,280	500,000	540,380	562,500	576,400	585,940	592,870	598,140	602,280	
2	.50	0.667	1.00	1.13	1.21	1.25	1.28	1.30	1.32	1.33
	.90	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.95	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4
	.975	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4
	.99	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4
	.995	199	199	199	199	199	199	199	199	199
.999	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	
3	.50	0.585	0.881	1.00	1.06	1.10	1.13	1.15	1.16	1.17
	.90	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.95	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.975	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.5
	.99	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3
	.995	55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9
.999	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9	
4	.50	0.549	0.828	0.941	1.00	1.04	1.06	1.08	1.09	1.10
	.90	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.95	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.975	12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90
	.99	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7
	.995	31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1
.999	74.1	61.2	56.2	53.4	51.7	50.5	49.7	49.0	48.5	
5	.50	0.528	0.799	0.907	0.965	1.00	1.02	1.04	1.05	1.06
	.90	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.95	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.975	10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
	.99	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2
	.995	22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8
.999	47.2	37.1	33.2	31.1	29.8	28.8	28.2	27.6	27.2	
6	.50	0.515	0.780	0.886	0.942	0.977	1.00	1.02	1.03	1.04
	.90	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.95	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.975	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
	.99	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.995	18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4
.999	35.5	27.0	23.7	21.9	20.8	20.0	19.5	19.0	18.7	
7	.50	0.506	0.767	0.871	0.926	0.960	0.983	1.00	1.01	1.02
	.90	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.95	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.975	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82
	.99	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.995	16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51
.999	29.2	21.7	18.8	17.2	16.2	15.5	15.0	14.6	14.3	

Table C-5 (Continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	$\infty$
1	.50	2.04	2.07	2.09	2.12	2.13	2.15	2.17	2.18	2.20
	.90	60.2	60.7	61.2	61.7	62.0	62.3	62.8	63.1	63.3
	.95	242	244	246	248	249	250	252	253	254
	.975	969	977	985	993	997	1,001	1,010	1,014	1,018
	.99	6,056	6,106	6,157	6,209	6,235	6,261	6,313	6,339	6,366
	.995	24,224	24,426	24,630	24,836	24,940	25,044	25,253	25,359	25,464
	.999	605,620	610,670	615,760	620,910	623,500	626,100	631,340	633,970	636,620
2	.50	1.34	1.36	1.38	1.39	1.40	1.41	1.43	1.43	1.44
	.90	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.48	9.49
	.95	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5
	.975	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5
	.99	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5
	.995	199	199	199	199	199	199	199	199	200
	.999	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5
3	.50	1.18	1.20	1.21	1.23	1.23	1.24	1.25	1.26	1.27
	.90	5.23	5.22	5.20	5.18	5.18	5.17	5.15	5.14	5.13
	.95	8.79	8.74	8.70	8.66	8.64	8.62	8.57	8.55	8.53
	.975	14.4	14.3	14.3	14.2	14.1	14.1	14.0	13.9	13.9
	.99	27.2	27.1	26.9	26.7	26.6	26.5	26.3	26.2	26.1
	.995	43.7	43.4	43.1	42.8	42.6	42.5	42.1	42.0	41.8
	.999	129.2	128.3	127.4	126.4	125.9	125.4	124.5	124.0	123.5
4	.50	1.11	1.13	1.14	1.15	1.16	1.16	1.18	1.18	1.19
	.90	3.92	3.90	3.87	3.84	3.83	3.82	3.79	3.78	3.76
	.95	5.96	5.91	5.86	5.80	5.77	5.75	5.69	5.66	5.63
	.975	8.84	8.75	8.66	8.56	8.51	8.46	8.36	8.31	8.26
	.99	14.5	14.4	14.2	14.0	13.9	13.8	13.7	13.6	13.5
	.995	21.0	20.7	20.4	20.2	20.0	19.9	19.6	19.5	19.3
	.999	48.1	47.4	46.8	46.1	45.8	45.4	44.7	44.4	44.1
5	.50	1.07	1.09	1.10	1.11	1.12	1.12	1.14	1.14	1.15
	.90	3.30	3.27	3.24	3.21	3.19	3.17	3.14	3.12	3.11
	.95	4.74	4.68	4.62	4.56	4.53	4.50	4.43	4.40	4.37
	.975	6.62	6.52	6.43	6.33	6.28	6.23	6.12	6.07	6.02
	.99	10.1	9.89	9.72	9.55	9.47	9.38	9.20	9.11	9.02
	.995	13.6	13.4	13.1	12.9	12.8	12.7	12.4	12.3	12.1
	.999	26.9	26.4	25.9	25.4	25.1	24.9	24.3	24.1	23.8
6	.50	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.12
	.90	2.94	2.90	2.87	2.84	2.82	2.80	2.76	2.74	2.72
	.95	4.06	4.00	3.94	3.87	3.84	3.81	3.74	3.70	3.67
	.975	5.46	5.37	5.27	5.17	5.12	5.07	4.96	4.90	4.85
	.99	7.87	7.72	7.56	7.40	7.31	7.23	7.06	6.97	6.88
	.995	10.2	10.0	9.81	9.59	9.47	9.36	9.12	9.00	8.88
	.999	18.4	18.0	17.6	17.1	16.9	16.7	16.2	16.0	15.7
7	.50	1.03	1.04	1.05	1.07	1.07	1.08	1.09	1.10	1.10
	.90	2.70	2.67	2.63	2.59	2.58	2.56	2.51	2.49	2.47
	.95	3.64	3.57	3.51	3.44	3.41	3.38	3.30	3.27	3.23
	.975	4.76	4.67	4.57	4.47	4.42	4.36	4.25	4.20	4.14
	.99	6.62	6.47	6.31	6.16	6.07	5.99	5.82	5.74	5.65
	.995	8.38	8.18	7.97	7.75	7.65	7.53	7.31	7.19	7.08
	.999	14.1	13.7	13.3	12.9	12.7	12.5	12.1	11.9	11.7

Table C-5 (Continued) Percentiles of the F Distribution

Den. df	4	Numerator df								
		1	2	3	4	5	6	7	8	9
8	.50	0.499	0.757	0.860	0.915	0.948	0.971	0.988	1.00	1.01
	.90	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
	.95	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
	.975	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36
	.99	11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
	.995	14.7	11.0	9.60	8.81	8.30	7.95	7.69	7.50	7.34
.999	25.4	18.5	15.8	14.4	13.5	12.9	12.4	12.0	11.8	
9	.50	0.494	0.749	0.852	0.906	0.939	0.962	0.978	0.990	1.00
	.90	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
	.95	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
	.975	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
	.99	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
	.995	13.6	10.1	8.72	7.96	7.47	7.13	6.88	6.69	6.54
.999	22.9	16.4	13.9	12.6	11.7	11.1	10.7	10.4	10.1	
10	.50	0.490	0.743	0.845	0.899	0.932	0.954	0.971	0.983	0.992
	.90	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.95	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.975	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
	.99	10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.995	12.8	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97
.999	21.0	14.9	12.6	11.3	10.5	9.93	9.52	9.20	8.96	
12	.50	0.484	0.735	0.835	0.888	0.921	0.943	0.959	0.972	0.981
	.90	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.95	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.975	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
	.99	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.995	11.8	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20
.999	18.6	13.0	10.8	9.63	8.89	8.38	8.00	7.71	7.48	
15	.50	0.478	0.726	0.826	0.878	0.911	0.933	0.949	0.960	0.970
	.90	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.95	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.975	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
	.99	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.995	10.8	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54
.999	16.6	11.3	9.34	8.25	7.57	7.09	6.74	6.47	6.26	
20	.50	0.472	0.718	0.816	0.868	0.900	0.922	0.938	0.950	0.959
	.90	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
	.95	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
	.975	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
	.99	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
	.995	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96
.999	14.8	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	
24	.50	0.469	0.714	0.812	0.863	0.895	0.917	0.932	0.944	0.953
	.90	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
	.95	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
	.975	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70
	.99	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
	.995	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69
.999	14.0	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	

Table C-5 (Continued) Percentiles of the F Distribution

Den. df	F	Numerator df								
		10	12	15	20	24	30	60	120	$\infty$
8	.50	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.08	1.09
	.90	2.54	2.50	2.46	2.42	2.40	2.38	2.34	2.32	2.29
	.95	3.35	3.28	3.22	3.15	3.12	3.08	3.01	2.97	2.93
	.975	4.30	4.20	4.10	4.00	3.95	3.89	3.78	3.73	3.67
	.99	5.81	5.67	5.52	5.36	5.28	5.20	5.03	4.95	4.86
	.995	7.21	7.01	6.81	6.61	6.50	6.40	6.18	6.06	5.95
	.999	11.5	11.2	10.8	10.5	10.3	10.1	9.73	9.53	9.33
9	.50	1.01	1.02	1.03	1.04	1.05	1.05	1.07	1.07	1.08
	.90	2.42	2.38	2.34	2.30	2.28	2.25	2.21	2.18	2.16
	.95	3.14	3.07	3.01	2.94	2.90	2.86	2.79	2.75	2.71
	.975	3.96	3.87	3.77	3.67	3.61	3.56	3.45	3.39	3.33
	.99	5.26	5.11	4.96	4.81	4.73	4.65	4.48	4.40	4.31
	.995	6.42	6.23	6.03	5.83	5.73	5.62	5.41	5.30	5.19
	.999	9.89	9.57	9.24	8.90	8.72	8.55	8.19	8.00	7.81
10	.50	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.06	1.07
	.90	2.32	2.28	2.24	2.20	2.18	2.16	2.11	2.08	2.06
	.95	2.98	2.91	2.84	2.77	2.74	2.70	2.62	2.58	2.54
	.975	3.72	3.62	3.52	3.42	3.37	3.31	3.20	3.14	3.08
	.99	4.85	4.71	4.56	4.41	4.33	4.25	4.08	4.00	3.91
	.995	5.85	5.66	5.47	5.27	5.17	5.07	4.86	4.75	4.64
	.999	8.75	8.45	8.13	7.80	7.64	7.47	7.12	6.94	6.76
12	.50	0.989	1.00	1.01	1.02	1.03	1.03	1.05	1.05	1.06
	.90	2.19	2.15	2.10	2.06	2.04	2.01	1.96	1.93	1.90
	.95	2.75	2.69	2.62	2.54	2.51	2.47	2.38	2.34	2.30
	.975	3.37	3.28	3.18	3.07	3.02	2.96	2.85	2.79	2.72
	.99	4.30	4.16	4.01	3.86	3.78	3.70	3.54	3.45	3.36
	.995	5.09	4.91	4.72	4.53	4.43	4.33	4.12	4.01	3.90
	.999	7.29	7.00	6.71	6.40	6.25	6.09	5.76	5.59	5.42
15	.50	0.977	0.989	1.00	1.01	1.02	1.02	1.03	1.04	1.05
	.90	2.06	2.02	1.97	1.92	1.90	1.87	1.82	1.79	1.76
	.95	2.54	2.48	2.40	2.33	2.29	2.25	2.16	2.11	2.07
	.975	3.06	2.96	2.86	2.76	2.70	2.64	2.52	2.46	2.40
	.99	3.80	3.67	3.52	3.37	3.29	3.21	3.05	2.96	2.87
	.995	4.42	4.25	4.07	3.88	3.79	3.69	3.48	3.37	3.26
	.999	6.08	5.81	5.54	5.25	5.10	4.95	4.64	4.48	4.31
20	.50	0.966	0.977	0.989	1.00	1.01	1.01	1.02	1.03	1.03
	.90	1.94	1.89	1.84	1.79	1.77	1.74	1.68	1.64	1.61
	.95	2.35	2.28	2.20	2.12	2.08	2.04	1.95	1.90	1.84
	.975	2.77	2.68	2.57	2.46	2.41	2.35	2.22	2.16	2.09
	.99	3.37	3.23	3.09	2.94	2.86	2.78	2.61	2.52	2.42
	.995	3.85	3.68	3.50	3.32	3.22	3.12	2.92	2.81	2.69
	.999	5.08	4.82	4.56	4.29	4.15	4.00	3.70	3.54	3.38
24	.50	0.961	0.972	0.983	0.994	1.00	1.01	1.02	1.02	1.03
	.90	1.88	1.83	1.78	1.73	1.70	1.67	1.61	1.57	1.53
	.95	2.25	2.18	2.11	2.03	1.98	1.94	1.84	1.79	1.73
	.975	2.64	2.54	2.44	2.33	2.27	2.21	2.08	2.01	1.94
	.99	3.17	3.03	2.89	2.74	2.66	2.58	2.40	2.31	2.21
	.995	3.59	3.42	3.25	3.06	2.97	2.87	2.66	2.55	2.43
	.999	4.64	4.39	4.14	3.87	3.74	3.59	3.29	3.14	2.97

Table C-5 (Continued) Percentiles of the *F* Distribution

Den. df	<i>A</i>	Numerator df								
		1	2	3	4	5	6	7	8	9
30	.50	0.466	0.709	0.807	0.858	0.890	0.912	0.927	0.939	0.948
	.90	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
	.95	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
	.975	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
	.99	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
	.995	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45
	.999	13.3	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39
60	.50	0.461	0.701	0.798	0.849	0.880	0.901	0.917	0.928	0.937
	.90	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
	.95	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
	.975	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
	.99	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
	.995	8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01
	.999	12.0	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69
120	.50	0.458	0.697	0.793	0.844	0.875	0.896	0.912	0.923	0.932
	.90	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	.95	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
	.975	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
	.99	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
	.995	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
	.999	11.4	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38
∞	.50	0.455	0.693	0.789	0.839	0.870	0.891	0.907	0.918	0.927
	.90	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
	.95	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
	.975	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
	.99	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
	.995	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62
	.999	10.8	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10

Table C-5 (Continued) Percentiles of the *F* Distribution

Den. df	<i>α</i>	Numerator df								
		10	12	15	20	24	30	60	120	$\infty$
30	.50	0.955	0.966	0.978	0.989	0.994	1.00	1.01	1.02	1.02
	.90	1.82	1.77	1.72	1.67	1.64	1.61	1.54	1.50	1.46
	.95	2.16	2.09	2.01	1.93	1.89	1.84	1.74	1.68	1.62
	.975	2.51	2.41	2.31	2.20	2.14	2.07	1.94	1.87	1.79
	.99	2.98	2.84	2.70	2.55	2.47	2.39	2.21	2.11	2.01
	.995	3.34	3.18	3.01	2.82	2.73	2.63	2.42	2.30	2.18
	.999	4.24	4.00	3.75	3.49	3.36	3.22	2.92	2.76	2.59
	60	.50	0.945	0.956	0.967	0.978	0.983	0.989	1.00	1.01
.90		1.71	1.66	1.60	1.54	1.51	1.48	1.40	1.35	1.29
.95		1.99	1.92	1.84	1.75	1.70	1.65	1.53	1.47	1.39
.975		2.27	2.17	2.06	1.94	1.88	1.82	1.67	1.58	1.48
.99		2.63	2.50	2.35	2.20	2.12	2.03	1.84	1.73	1.60
.995		2.90	2.74	2.57	2.39	2.29	2.19	1.96	1.83	1.69
.999		3.54	3.32	3.08	2.83	2.69	2.55	2.25	2.08	1.89
120		.50	0.939	0.950	0.961	0.972	0.978	0.983	0.994	1.00
	.90	1.65	1.60	1.55	1.48	1.45	1.41	1.32	1.26	1.19
	.95	1.91	1.83	1.75	1.66	1.61	1.55	1.43	1.35	1.25
	.975	2.16	2.05	1.95	1.82	1.76	1.69	1.53	1.43	1.31
	.99	2.47	2.34	2.19	2.03	1.95	1.86	1.66	1.53	1.38
	.995	2.71	2.54	2.37	2.19	2.09	1.98	1.75	1.61	1.43
	.999	3.24	3.02	2.78	2.53	2.40	2.26	1.95	1.77	1.54
	$\infty$	.50	0.934	0.945	0.956	0.967	0.972	0.978	0.989	0.994
.90		1.60	1.55	1.49	1.42	1.38	1.34	1.24	1.17	1.00
.95		1.83	1.75	1.67	1.57	1.52	1.46	1.32	1.22	1.00
.975		2.05	1.94	1.83	1.71	1.64	1.57	1.39	1.27	1.00
.99		2.32	2.18	2.04	1.88	1.79	1.70	1.47	1.32	1.00
.995		2.52	2.36	2.19	2.00	1.90	1.79	1.53	1.36	1.00
.999		2.96	2.74	2.51	2.27	2.13	1.99	1.66	1.45	1.00

# Quantiles of the Mann-Whitney Test Statistic

Table C-6 Quantiles of the Mann-Whitney Test Statistic

$n$	$p$	$m=2$	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
2	.001	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	.005	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	.01	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	.025	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	.05	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	.10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
3	.001	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	.005	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	.01	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	.025	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	.05	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	.10	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
4	.001	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	.005	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	.01	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	.025	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	.05	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	.10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
5	.001	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	.005	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	.01	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	.025	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	.05	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
	.10	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
6	.001	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
	.005	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
	.01	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
	.025	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
	.05	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
	.10	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
7	.001	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	.005	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	.01	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	.025	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	.05	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	.10	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
8	.001	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	.005	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	.01	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	.025	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	.05	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
	.10	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
9	.001	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
	.005	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
	.01	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
	.025	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
	.05	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
	.10	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
10	.001	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
	.005	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
	.01	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
	.025	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
	.05	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
	.10	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55

Table C-6 (Continued) Quantiles of the Mann-Whitney Test Statistic

<i>n</i>	<i>p</i>	<i>m</i> =2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
11	.001	66	66	67	69	71	73	75	77	79	82	84	87	89	91	94	96	99	101	104
	.005	66	67	69	72	74	77	80	83	85	88	91	94	97	100	103	106	109	112	115
	.01	66	68	71	74	76	79	82	85	89	92	95	98	101	104	108	111	114	117	120
	.025	67	70	73	76	80	83	86	90	93	97	100	104	107	111	114	118	122	125	129
	.05	68	72	75	79	83	86	90	94	98	101	105	109	113	117	121	124	128	132	136
	.10	70	74	78	82	86	90	94	98	103	107	111	115	119	124	128	132	136	140	145
12	.001	78	78	79	81	83	86	88	91	93	96	98	102	104	106	110	113	116	118	121
	.005	78	80	82	85	88	91	94	97	100	103	106	110	113	116	120	123	126	130	133
	.01	78	81	84	87	90	93	96	100	103	107	110	114	117	121	125	128	132	135	139
	.025	80	83	86	90	93	97	101	105	108	112	116	120	124	128	132	136	140	144	148
	.05	81	84	88	92	96	100	105	109	111	117	121	126	130	134	139	143	147	151	156
	.10	83	87	91	96	100	105	109	114	118	123	128	132	137	142	146	151	156	160	165
13	.001	91	91	93	95	97	100	103	106	109	112	115	118	121	124	127	130	134	137	140
	.005	91	93	95	99	102	105	109	112	116	119	123	126	130	134	137	141	145	149	152
	.01	92	94	97	101	104	108	112	115	119	123	127	131	135	139	143	147	151	155	159
	.025	93	96	100	104	108	112	116	120	125	129	133	137	142	146	151	155	159	164	168
	.05	94	98	102	107	111	116	120	125	129	134	139	143	148	153	157	162	167	172	176
	.10	96	101	105	110	115	120	125	130	135	140	145	150	155	160	166	171	176	181	186
14	.001	105	105	107	109	112	115	118	121	125	128	131	135	138	142	145	149	152	156	160
	.005	105	107	110	113	117	121	124	128	132	136	140	144	148	152	156	160	164	169	173
	.01	106	108	112	116	119	123	128	132	136	140	144	149	153	157	162	166	171	175	179
	.025	107	111	115	119	123	128	132	137	142	146	151	156	161	165	170	175	180	184	189
	.05	109	113	117	122	127	132	137	142	147	152	157	162	167	172	177	183	188	193	198
	.10	110	116	121	126	131	137	142	147	153	158	164	169	175	180	186	191	197	203	208
15	.001	120	120	122	125	128	133	135	138	142	145	149	153	157	161	164	168	172	176	180
	.005	120	123	126	129	133	137	141	145	150	154	158	163	167	172	176	181	185	190	194
	.01	121	124	128	132	136	140	145	149	154	158	163	168	172	177	182	187	191	196	201
	.025	122	126	131	135	140	145	150	155	160	165	170	175	180	185	191	196	201	206	211
	.05	124	128	133	139	144	149	154	160	165	171	176	182	187	193	198	204	209	215	221
	.10	126	131	137	143	148	154	160	166	172	178	184	189	195	201	207	213	219	225	231
16	.001	136	136	139	142	145	148	152	156	160	164	168	172	176	180	185	189	193	197	202
	.005	136	139	142	146	150	155	159	164	168	173	178	182	187	192	197	202	207	211	216
	.01	137	140	144	149	153	158	163	168	173	178	183	188	193	198	203	208	213	219	224
	.025	138	143	148	152	158	163	168	174	179	184	190	196	201	207	212	218	223	229	235
	.05	140	145	151	156	162	167	173	179	185	191	197	202	208	214	220	226	232	238	244
	.10	142	148	154	160	166	173	179	185	191	198	204	211	217	223	230	236	243	249	256
17	.001	153	154	156	159	163	167	171	175	179	183	188	192	197	201	206	211	215	220	224
	.005	153	156	160	164	169	173	178	183	188	193	198	203	208	214	219	224	229	235	240
	.01	154	158	162	167	172	177	182	187	192	198	203	209	214	220	225	231	236	242	247
	.025	156	160	165	171	176	182	188	193	199	205	211	217	223	229	235	241	247	253	259
	.05	157	163	169	174	180	187	193	199	205	211	218	224	231	237	243	250	256	263	269
	.10	160	166	172	179	185	192	199	206	212	219	226	233	239	246	253	260	267	274	281
18	.001	171	172	175	178	182	186	190	195	199	204	209	214	218	223	228	233	238	243	248
	.005	171	174	178	183	188	193	198	203	209	214	219	225	230	236	242	247	253	259	264
	.01	172	176	181	186	191	196	202	208	213	219	225	231	237	242	248	254	260	266	272
	.025	174	179	184	190	196	202	208	214	220	227	233	239	246	252	258	265	271	278	284
	.05	176	181	188	194	200	207	213	220	227	233	240	247	254	260	267	274	281	288	295
	.10	178	185	192	199	206	213	220	227	234	241	249	256	263	270	278	285	292	300	307
19	.001	190	191	194	198	202	206	211	216	220	225	231	236	241	246	251	257	262	268	273
	.005	191	194	198	203	208	213	219	224	230	236	242	248	254	260	265	272	278	284	290
	.01	192	195	200	206	211	217	223	229	235	241	247	254	260	266	273	279	285	292	298
	.025	193	198	204	210	216	223	229	236	243	249	256	263	269	276	283	290	297	304	310
	.05	195	201	208	214	221	228	235	242	249	256	263	271	278	285	292	300	307	314	321
	.10	198	205	212	219	227	234	242	249	257	264	272	280	288	295	303	311	319	326	334



Table C-6 (Continued) Quantiles of the Mann-Whitney Test Statistic

<i>n</i>	<i>p</i>	<i>m</i> = 2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
20	.001	210	211	214	218	223	227	232	237	243	248	253	259	265	270	276	281	287	293	299
	.005	211	214	219	224	229	235	241	247	253	259	265	271	278	284	290	297	303	310	316
	.01	212	216	221	227	233	239	245	251	258	264	271	278	284	291	298	304	311	318	325
	.025	213	219	225	231	238	245	251	259	266	273	280	287	294	301	309	316	323	330	338
	.05	215	222	229	236	243	250	258	265	273	280	288	295	303	311	318	326	334	341	349
	.10	218	226	233	241	249	257	265	273	281	289	297	305	313	321	330	338	346	354	362

**Quantiles of the Kruskal-Wallis Test Statistics for Small Sample Sizes**

Table C-7 Quantiles of the Kruskal-Wallis Test Statistic for Small Sample Sizes

Sample Sizes	$W_{0.90}$	$W_{0.95}$	$W_{0.99}$
2, 2, 2	3.7143	4.5714	4.5714
3, 2, 1	3.8571	4.2857	4.2857
3, 2, 2	4.4643	4.5000	5.3571
3, 3, 1	4.0000	4.5714	5.1429
3, 3, 2	4.2500	5.1389	6.2500
3, 3, 3	4.6000	5.0667	6.4889
4, 2, 1	4.0179	4.8214	4.8214
4, 2, 2	4.1667	5.1250	6.0000
4, 3, 1	3.8889	5.0000	5.8333
4, 3, 2	4.4444	5.4000	6.3000
4, 3, 3	4.7000	5.7273	6.7091
4, 4, 1	4.0667	4.8667	6.1667
4, 4, 2	4.4455	5.2364	6.8727
4, 4, 3	4.773	5.5758	7.1364
4, 4, 4	4.5000	5.6538	7.5385
5, 2, 1	4.0500	4.4500	5.2500
5, 2, 2	4.2933	5.0400	6.1333
5, 3, 1	3.8400	4.8711	6.4000
5, 3, 2	4.4946	5.1055	6.8218
5, 3, 3	4.4121	5.5152	6.9818
5, 4, 1	3.9600	4.8600	6.8400
5, 4, 2	4.5182	5.2682	7.1182
5, 4, 3	4.5231	5.6308	7.3949
5, 4, 4	4.6187	5.6176	7.7440
5, 5, 1	4.0364	4.9091	6.8364
5, 5, 2	4.5077	5.2462	7.2692
5, 5, 3	4.5363	5.6264	7.5429
5, 5, 4	4.5200	5.6429	7.7914
5, 5, 5	4.5000	5.6600	7.9800

## Quantiles of the Wilcoxon Signed Rank Test Statistic

Table C-8 Quantiles of the Wilcoxon Signed Ranks Test Statistic

	$W_{0.005}$	$W_{0.01}$	$W_{0.025}$	$W_{0.05}$	$W_{0.10}$	$W_{0.20}$	$W_{0.30}$	$W_{0.40}$	$W_{0.50}$	$\frac{n(n+1)}{2}$
$n = 4$	0	0	0	0	1	3	3	4	5	10
5	0	0	0	1	3	4	5	6	7.5	15
6	0	0	1	3	4	6	8	9	10.5	21
7	0	1	3	4	6	9	11	12	14	28
8	1	2	4	6	9	12	14	16	18	36
9	2	4	6	9	11	15	18	20	22.5	45
10	4	6	9	11	15	19	22	25	27.5	55
11	6	8	11	14	18	23	27	30	33	66
12	8	10	14	18	22	28	32	36	39	78
13	10	13	18	22	27	33	38	42	45.5	91
14	13	16	22	26	32	39	44	48	52.5	105
15	16	20	26	31	37	45	51	55	60	120
16	20	24	30	36	43	51	58	63	68	136
17	24	28	35	42	49	58	65	71	76.5	153
18	28	33	41	48	56	66	73	80	85.5	171
19	33	38	47	54	63	74	82	89	95	190
20	38	44	53	61	70	83	91	98	105	210
21	44	50	59	68	78	91	100	108	115.5	231
22	49	56	67	76	87	100	110	119	126.5	253
23	55	63	74	84	95	110	120	130	138	276
24	62	70	82	92	105	120	131	141	150	300
25	69	77	90	101	114	131	143	153	162.5	325
26	76	85	99	111	125	142	155	165	175.5	351
27	84	94	108	120	135	154	167	178	189	378
28	92	102	117	131	146	166	180	192	203	406
29	101	111	127	141	158	178	193	206	217.5	435
30	110	121	138	152	170	191	207	220	232.5	465
31	119	131	148	164	182	205	221	235	248	496
32	129	141	160	176	195	219	236	250	264	528
33	139	152	171	188	208	233	251	266	280.5	561
34	149	163	183	201	222	248	266	282	297.5	595
35	160	175	196	214	236	263	283	299	315	630
36	172	187	209	228	251	279	299	317	333	666
37	184	199	222	242	266	295	316	335	351.5	703
38	196	212	236	257	282	312	334	353	370.5	741
39	208	225	250	272	298	329	352	372	390	780
40	221	239	265	287	314	347	371	391	410	820
41	235	253	280	303	331	365	390	411	430.5	861
42	248	267	295	320	349	384	409	431	451.5	903
43	263	282	311	337	366	403	429	452	473	946
44	277	297	328	354	385	422	450	473	495	990
45	292	313	344	372	403	442	471	495	517.5	1035
46	308	329	362	390	423	463	492	517	540.5	1081
47	324	346	379	408	442	484	514	540	564	1128

Table C-8 (Continued) Quantiles of the Wilcoxon Signed Ranks Test Statistic

	$W_{0.005}$	$W_{0.01}$	$W_{0.025}$	$W_{0.05}$	$W_{0.10}$	$W_{0.20}$	$W_{0.30}$	$W_{0.40}$	$W_{0.50}$	$\frac{n(n+1)}{2}$
48	340	363	397	428	463	505	536	563	588	1176
49	357	381	416	447	483	527	559	587	612.5	1225
50	374	398	435	467	504	550	583	611	637.5	1275

For  $n$  larger than 50, the  $p^{\text{th}}$  quantile  $w_p$  of the Wilcoxon signed ranked test statistic may be approximated by  $w_p = \left[ \frac{n(n+1)}{4} \right] = x_p \sqrt{\frac{n(n+1)(2n+1)}{24}}$ , where  $x_p$  is the  $p^{\text{th}}$  quantile of a standard normal random variable, obtained from Table C-1.

## Quantiles of Kendall's Test Statistic

Table C-9 Quantiles of the Kendall's Test Statistic

<i>n</i>	<i>p</i> = .900	.950	.975	.990	.995
4	4	4	6	6	6
5	6	6	8	8	10
6	7	9	11	11	13
7	9	11	13	15	17
8	10	14	16	18	20
9	12	16	18	22	24
10	15	19	21	25	27
11	17	21	25	29	31
12	18	24	28	34	36
13	22	26	32	38	42
14	23	31	35	41	45
15	27	33	39	47	51
16	28	36	44	50	56
17	32	40	48	56	62
18	35	43	51	61	67
19	37	47	55	65	73
20	40	50	60	70	78
21	42	54	64	76	84
22	45	59	69	81	89
23	49	63	73	87	97
24	52	66	78	92	102
25	56	70	84	98	108
26	59	75	89	105	115
27	61	79	93	111	123
28	66	84	98	116	128
29	68	88	104	124	136
30	73	93	109	129	143
31	75	97	115	135	149
32	80	102	120	142	158
33	84	106	126	150	164
34	87	111	131	155	173
35	91	115	137	163	179
36	94	120	144	170	188
37	98	126	150	176	196
38	103	131	155	183	203
39	107	137	161	191	211
40	110	142	168	198	220

Table C-9 (Continued) Quantiles of the Kendall's Test Statistic

<i>n</i>	<i>p</i> = .900	.950	.975	.990	.995
41	114	146	174	206	228
42	119	151	181	213	235
43	123	157	187	221	245
44	128	162	194	228	252
45	132	168	200	236	262
46	135	173	207	245	271
47	141	179	213	253	279
48	144	186	220	260	288
49	150	190	228	268	296
50	153	197	233	277	305
51	159	203	241	285	315
52	162	208	248	294	324
53	168	214	256	302	334
54	173	221	263	311	343
55	177	227	269	319	353
56	182	232	276	328	362
57	186	240	284	336	372
58	191	245	291	345	381
59	197	251	299	355	391
60	202	258	306	364	402

## Quantiles of the Kilmogorov Test Statistic

Table C-10 Quantiles of the Kilmogorov Test Statistic

<i>One-Sided Test</i>											
<i>p</i> = .90	.95	.975	.99	.995	<i>p</i> = .90	.95	.975	.99	.995		
<i>Two-Sided Test</i>											
<i>p</i> = .80	.90	.95	.98	.99	<i>p</i> = .80	.90	.95	.98	.99		
<i>n</i> = 1	.900	.950	.975	.990	.995	<i>n</i> = 21	.226	.259	.287	.321	.344
2	.684	.776	.842	.900	.929	22	.221	.253	.281	.314	.337
3	.565	.636	.708	.785	.829	23	.216	.247	.275	.307	.330
4	.493	.565	.624	.689	.734	24	.212	.242	.269	.301	.323
5	.447	.509	.563	.627	.669	25	.208	.238	.264	.295	.317
6	.410	.468	.519	.577	.617	26	.204	.233	.259	.290	.311
7	.381	.436	.483	.538	.576	27	.200	.229	.254	.284	.305
8	.358	.410	.454	.507	.542	28	.197	.225	.250	.279	.300
9	.339	.387	.430	.480	.513	29	.193	.221	.246	.275	.295
10	.323	.369	.409	.457	.489	30	.190	.218	.242	.270	.290
11	.308	.352	.391	.437	.468	31	.187	.214	.238	.266	.285
12	.296	.338	.375	.419	.449	32	.184	.211	.234	.262	.281
13	.285	.325	.361	.404	.432	33	.182	.208	.231	.258	.277
14	.275	.314	.349	.390	.418	34	.179	.205	.227	.254	.273
15	.266	.304	.338	.377	.404	35	.177	.202	.224	.251	.269
16	.258	.295	.327	.366	.392	36	.174	.199	.221	.247	.265
17	.250	.286	.318	.355	.381	37	.172	.196	.218	.244	.262
18	.244	.279	.309	.346	.371	38	.170	.194	.215	.241	.258
19	.237	.271	.301	.337	.361	39	.168	.191	.213	.238	.255
20	.232	.265	.294	.329	.352	40	.165	.189	.210	.235	.252
				Approximation for <i>n</i> > 40		1.07	1.22	1.36	1.52	1.63	
						$\frac{1.07}{\sqrt{n}}$	$\frac{1.22}{\sqrt{n}}$	$\frac{1.36}{\sqrt{n}}$	$\frac{1.52}{\sqrt{n}}$	$\frac{1.63}{\sqrt{n}}$	

## Quantiles of the Smirnov Test Statistic for Two Samples of Equal Size

Table C-11 Quantiles of the Smirnov Test Statistic for Two Samples of Equal Size, n

<i>One-Sided Test:</i>						<i>One-Sided Test:</i>					
<i>p = .90 .95 .975 .99 .995</i>						<i>p = .90 .95 .975 .99 .995</i>					
<i>Two-Sided Test:</i>						<i>Two-sided Test:</i>					
<i>p = .80 .90 .95 .98 .99</i>						<i>p = .80 .90 .95 .98 .99</i>					
<i>n = 3</i>	2/3	2/3				<i>n = 20</i>	6/20	7/20	8/20	9/20	10/20
4	3/4	3/4	3/4			21	6/21	7/21	8/21	9/21	10/21
5	3/5	3/5	4/5	4/5	4/5	22	7/22	8/22	8/22	10/22	10/22
6	3/6	4/6	4/6	5/6	5/6	23	7/23	8/23	9/23	10/23	10/23
7	4/7	4/7	5/7	5/7	5/7	24	7/24	8/24	9/24	10/24	11/24
8	4/8	4/8	5/8	5/8	6/8	25	7/25	8/25	9/25	10/25	11/25
9	4/9	5/9	5/9	6/9	6/9	26	7/26	8/26	9/26	10/26	11/26
10	4/10	5/10	6/10	6/10	7/10	27	7/27	8/27	9/27	11/27	11/27
11	5/11	5/11	6/11	7/11	7/11	28	8/28	9/28	10/28	11/28	12/28
12	5/12	5/12	6/12	7/12	7/12	29	8/29	9/29	10/29	11/29	12/29
13	5/13	6/13	6/13	7/13	8/13	30	8/30	9/30	10/30	11/30	12/30
14	5/14	6/14	7/14	7/14	8/14	31	8/31	9/31	10/31	11/31	12/31
15	5/15	6/15	7/15	8/15	8/15	32	8/32	9/32	10/32	12/32	12/32
16	6/16	6/16	7/16	8/16	9/16	34	8/34	10/34	11/34	12/34	13/34
17	6/17	7/17	7/17	8/17	9/17	36	9/36	10/36	11/36	12/36	13/36
18	6/18	7/18	8/18	9/18	9/19	38	9/38	10/38	11/38	13/38	14/38
19	6/19	7/19	8/19	9/19	9/19	40	9/40	10/40	12/40	13/40	14/40
				Approximation for <i>n</i> > 40:			1.52	1.73	1.92	2.15	2.30
							$\sqrt{n}$	$\sqrt{n}$	$\sqrt{n}$	$\sqrt{n}$	$\sqrt{n}$



## Quantiles of the Smirnov Test Statistic for Two Samples of Different Size

Table C-12 Quantiles of the Smirnov Test Statistic for Two Samples of Different Size,  $n$  and  $m$

<i>One-Sided Test:</i>		$p = .90$	.95	.975	.99	.995
<i>Two-Sided Test:</i>		$p = .80$	.90	.95	.98	.99
$N_1 = 1$	$N_2 = 9$	17/18				
	10	9/10				
$N_1 = 2$	$N_2 = 3$	5/6				
	4	3/4				
	5	4/5	4/5			
	6	5/6	5/6			
	7	5/7	6/7			
	8	3/4	7/8	7/8		
	9	7/9	8/9	8/9		
	10	7/10	4/5	9/10		
$N_1 = 3$	$N_2 = 4$	3/4	3/4			
	5	2/3	4/5	4/5		
	6	2/3	2/3	5/6		
	7	2/3	5/7	6/7	6/7	
	8	5/8	3/4	3/4	7/8	
	9	2/3	2/3	7/9	8/9	8/9
	10	3/5	7/10	4/5	9/10	9/10
	12	7/12	2/3	3/4	5/6	11/12
$N_1 = 4$	$N_2 = 5$	3/5	3/4	4/5	4/5	
	6	7/12	2/3	3/4	5/6	5/6
	7	17/28	5/7	3/4	6/7	6/7
	8	5/8	5/8	3/4	7/8	7/8
	9	5/9	2/3	3/4	7/9	8/9
	10	11/20	13/20	7/10	4/5	4/5
	12	7/12	2/3	2/3	3/4	5/6
	16	9/16	5/8	11/16	3/4	13/16
$N_1 = 5$	$N_2 = 6$	3/5	2/3	2/3	5/6	5/6
	7	4/7	23/35	5/7	29/35	6/7
	8	11/20	5/8	27/40	4/5	4/5
	9	5/9	3/5	31/45	7/9	4/5
	10	1/2	3/5	7/10	7/10	4/5
	15	8/15	3/5	2/3	11/15	11/15
	20	1/2	11/20	3/5	7/10	3/4
$N_1 = 6$	$N_2 = 7$	23/42	4/7	29/42	5/7	5/6
	8	1/2	7/12	2/3	3/4	3/4
	9	1/2	5/9	2/3	13/18	7/9
	10	1/2	17/30	19/30	7/10	11/15
	12	1/2	7/12	7/12	2/3	3/4
	18	4/9	5/9	11/18	2/3	13/18
	24	11/24	1/2	7/12	5/8	2/3

Table C-12 (Continued) Quantiles of the Smirnov Test Statistic for Two Samples of Different Size,  $n$  and  $m$

<i>One-Sided Test:</i>		$p = .90$	$.95$	$.975$	$.99$	$.995$
<i>Two-Sided Test:</i>		$p = .80$	$.90$	$.95$	$.98$	$.99$
$N_1 = 7$	$N_2 = 8$	27/56	33/56	5/8	41/56	3/4
	9	31/63	5/9	40/63	5/7	47/63
	10	33/70	39/70	43/70	7/10	5/7
	14	3/7	1/2	4/7	9/14	5/7
	28	3/7	13/28	15/28	17/28	9/14
$N_1 = 8$	$N_2 = 9$	4/9	13/24	5/8	2/3	3/4
	10	19/40	21/40	23/40	27/40	7/10
	12	11/24	1/2	7/12	5/8	2/3
	16	7/16	1/2	9/16	5/8	5/8
	32	13/32	7/16	1/2	9/16	19/32
$N_1 = 9$	$N_2 = 10$	7/15	1/2	26/45	2/3	31/45
	12	4/9	1/2	5/9	11/18	2/3
	15	19/45	22/45	8/15	3/5	29/45
	18	7/18	4/9	1/2	5/9	11/18
	36	13/36	5/12	17/36	19/36	5/9
$N_1 = 10$	$N_2 = 15$	2/5	7/15	1/2	17/30	19/30
	20	2/5	9/20	1/2	11/20	3/5
	40	7/20	2/5	9/20	1/2	
$N_1 = 12$	$N_2 = 15$	23/60	9/20	1/2	11/20	7/12
	16	3/8	7/16	23/48	13/24	7/12
	18	13/36	5/12	17/36	19/36	5/9
	20	11/30	5/12	7/15	31/60	17/30
$N_1 = 15$	$N_2 = 20$	7/20	2/5	13/30	29/60	31/60
$N_1 = 16$	$N_2 = 20$	27/80	31/80	17/40	19/40	41/80
Large-sample approximation		$1.07\sqrt{\frac{m+n}{mn}}$	$1.22\sqrt{\frac{m+n}{mn}}$	$1.36\sqrt{\frac{m+n}{mn}}$	$1.52\sqrt{\frac{m+n}{mn}}$	$1.63\sqrt{\frac{m+n}{mn}}$